

### From the Centers for Medicare & Medicaid Services (CMS)

**From CMS:** §483.45(g) Labeling of Drugs and Biologicals and §483.45(h) Storage of Drugs and Biologicals: *“ensure that all drugs and biologicals used in the facility are labeled in accordance with professional standards, including expiration dates.”*

**It is good standard practice to date an ophthalmic (eye) medication upon opening, as the date should be tracked according to the facility policy to reduce risk of using contaminated products.**

Manufacturers provide storage recommendations and stability information in the package labeling or product insert, and must be considered to determine a ‘beyond use date’ or shortened expiration date for the preparation. Other ophthalmic preparations follow the expiration date listed on the bottle or packaging.

If the manufacturer does not provide stability data for once the preparation is opened, current practice guidelines recommend to discard the medication after 28 days due to concerns of stability and sterility.

General best practice techniques for handling and administering ophthalmic preparations:

- Wash hands prior to administration and apply using examination gloves.
- If the preparation is a suspension, make sure to shake well.
- Remove the cap, taking care to avoid touching the dropper tip. Place the cap on the barrier or a clean, dry surface.
- Never touch the tip of the bottle to the patient’s eyelids, eyelashes, or surface of the eye
- If more than one preparation is being administered, please ensure that facility policy is being followed regarding the recommended time that should elapse between the use of each medication to allow for proper absorption (typically 5 minutes).
- If an ophthalmic ointment and eye drop are being administered in the same patient, make sure that the ointment is used last.
- Keep the bottle tightly closed when not in use to avoid contamination.

To best utilize this list:

- (1) search for manufacturer of the product, which is alphabetized on the left-hand column, and then
- (2) search for product name under the listed manufacturer and see corresponding beyond-use date recommendation.
- The NDCs listed describe the product and not the package size, therefore the last two digits of the NDC are not included.

The following chart lists several ophthalmic medications for which the manufacturer has been contacted to determine **the expiration date once the preparation has been opened**. This list may not be all inclusive. If a medication is not included in the chart below, package labeling can be found at <https://dailymed.nlm.nih.gov/dailymed/> or contact your HealthDirect Pharmacy for assistance.

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Actavis Pharma	BRIMO/TIMOL SOL 0.2/0.5% 00591-2422	28 days from opening
	BRINZOLAMIDE SUS 1% 00591-2127	Can be used until expiration date listed on the package
Akorn	BROMFENAC SOL 0.09% OP 50383-0249	Can be used until expiration date listed on the package
	CROMOLYN SOD SOL 4% OP 17478-0291	
	DORZOL/TIMOL SOL 2-0.5% OP 50383-0233	
	DORZOLAMIDE SOL 2% OP 50383-0232	
	GATIFLOXACIN SOL 0.5% 50383-0189	
	KETOTIF FUM DRO 0.035% OP 17478-0717	
	OFLOXACIN DRO 0.3% OP 17478-0713	
	PILOCARPINE SOL 1% OP 17478-0223	
	PILOCARPINE SOL 2% OP 17478-0224	
	PILOCARPINE SOL 4% OP 17478-0226	
	SOD CHLORIDE SOL 5% OP 17478-0623	
Alcon	SYSTANE BALANCE EYE DROPS 00651-0433	Can be used until expiration date listed on the package
	SYSTANE COMPLETE PF 0.6% 00651-0509	90 days from opening
	SYSTANE NIGHT GEL 00065-0474	28 days from opening
Alcon Laboratories	RHOPRESSA SOL 0.02% 70727-0497	After opening, the product may be kept at 2°C to 25°C (36°F to 77°F) for up to 6 weeks
	ROCKLATAN DRO 70727-0529	Can be used until expiration date listed on the package
Alcon Surgical	CYCLOGYL SOL 1% OP 00065-0396	Can be used until expiration date listed on the package
	CYCLOGYL SOL 2% OP 00065-0397	
	CYCLOMYDRIL SOL OP 00065-0359	
	EYSUVIS DRO 0.25% 71571-0333	
	MYDRIACYL SOL 1% OP 00998-0355	
	SIMBRINZA SUS 1-0.2% 00065-4147	

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date	
Alcon Surgical	SIMBRINZA SUS 1-0.2% 00078-0904	Can be used until expiration date listed on the package	
	ISOPTO ATROP SOL 1% OP 00065-0303	28 days from opening	
Alcon Vision	ATROPINE SUL SOL 1% OP 00065-0817	Can be used until expiration date listed on the package	
	GENTEAL TEAR OINT-TIME 00065-0518		
	GENTEAL TEAR OINT-TIME 00078-0473		
	SYSTANE OIN 00065-0509		
	SYSTANE BAL SOL RESTOR 00065-1433		
	ALCON TEARS DRO 0.5% 00065-0408	28 days from opening	
	GENTEAL GEL 0.3% 00065-8064		
	GENTEAL GEL 0.3% 00078-0429		
	ISOPTO TEARS SOL 0.5% OP 00998-0408		
	NAPHCON-A SOL OP 00065-0085		
	PATADAY SOL 0.1% 00065-4274		
	PATADAY SOL 0.2% 00065-8150		
	PATADAY SOL 0.7% 00065-0816		
	SYSTANE GEL DRO 0.4-0.3% 00065-0454		
	ZADITOR DRO 0.035% OP 00065-4011		
	BION TEARS SOL 0.1-0.3% 00065-9305		Once opened, discard. All four containers within a pouch must be used within 4 days of opening the pouch
	BION TEARS SOL OP 00065-0419		
	GENTEAL TEAR GEL SEV D/N 00065-8067		90 days from opening
	GENTEAL TEAR SOL MODERATE 00065-0426		
SYSTANE HYDR SRO 0.4-0.3% 00065-1510			
GENTEAL TEAR SOL MOD PF 00065-8063	Single use only. Discard once opened		
GENTEAL TEAR SOL PF 00065-0416			
SYSTANE COMP SOL PF 0.6% 00065-1509			
SYSTANE HYDR DRO 0.4-0.3% 00065-1437			
SYSTANE PF SOL 00065-0431			
SYSTANE ULTR SOL PF 00065-1432			

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Alcon Vision	SYSTANE DROP CONTACTS 00065-0190	6 months from opening
	SYSTANE COMP SOL 0.6% 00065-0481	
	SYSTANE SOL 00065-0429	6 months from opening or the expiration date on the package, whichever comes first
	SYSTANE ULTR SOL 00065-1431	
Alembic Pharmaceuticals	BIMATOPROST SOL 0.03% 62332-0507	Can be used until expiration date listed on the package
	AZELASTINE DRO 0.05% 62332-0506	28 days from opening
	BEPOTASTINE DRO 1.5% 62332-0598	
	BROMFENAC SOL 0.09% OP 62332-0508	
	MOXIFLOXACIN SOL HCL 0.5% 62332-0505	
	TIMOLOL GEL SOL 0.25% OP 62332-0545	
	TIMOLOL GEL SOL 0.5% OP 62332-0546	
Allergan	ALPHAGAN P SOL 0.1% 00023-9321	28 days from opening
	ALPHAGAN P SOL 0.15% 00023-9177	
	COMBIGAN SOL 0.2/0.5% 00023-9211	
	FML FORTE SUS 0.25% OP 11980-0228	
	FML LIQUIFILM SUS 0.1% OP 11980-0211	
	LASTACFT SOL 0.25% 00023-4291	Can be used until expiration date listed on the package
	LUMIGAN SOL 0.01% 00023-3205	
	REFRESH LACR OIN OP 00023-0312	
	REFRESH DRO OP 00023-0506	Single use only, Discard once opened
	REFRESH DRO RELIEVA 00023-4515	
	REFRESH SOL DIGITAL 00023-6954	
	REFRESH SOL OPTIVE 00023-4491	
	REFRESH DIGITAL PF 00236-0954	
	REFRESH OPT SOL MEGA-3 00023-5773	
	REFRESH PLUS DRO 0.5% OP 00023-0403	
RESTASIS EMU 0.05% OP 00023-9163		
REFRESH GEL OPTIVE 00023-5459	90 days from opening	
REFRESH SOL DIGITAL 00023-6952		

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Allergan	REFRESH SOL OPTIVE 00023-4307	90 days from opening
	REFRESH CELL GEL 1% OP 00023-4554	
	REFRESH LIQU DRO 1% OP 00023-9205	
	REFRESH OPTI DRO 0.5-0.9% 00023-3240	
	REFRESH P.M. OIN OP 00023-0240	
	REFRESH PLUS DRO 0.5% OP 00023-0403	
	REFRESH RELI DRO 0.5-0.9% 00023-6630	
	REFRESH TEAR DRO 0.5% OP 00023-0798	
	REFRESH DRO RELIEVA 00023-6634	6 months from opening
	RESTASIS MUL EMU 0.05% OP 00023-5301	30 days from opening
Amici Pharmaceuticals	FLURBIPROFEN SOL 0.03% OP 69292-0722	30 days from opening
Amneal Pharmaceuticals	ATROPINE SUL SOL 1% OP 60219-1748	28 days from opening
	PILOCARPINE SOL 1% OP 69238-1745	
	PILOCARPINE SOL 2% OP 69238-1746	
	PILOCARPINE SOL 4% OP 69238-1747	
	TOBRA/DEXAME SUS 0.3-0.1% 69238-1373	Can be used until expiration date listed on the package
Amring Pharmaceuticals	TIMOLOL MAL SOL 0.5% OP 69918-0601	Keep in foil overwrap and discard 30 days from opening
Apotex	AZELASTINE DRO 0.05% 60505-0578	28 days from opening
	BIMATOPROST SOL 0.03% 60505-0583	
	KETOROLAC SOL 0.5% 60505-1003	
	OFLOXACIN DRO 0.3% OP 60505-0560	
	TIMOLOL MAL SOL 0.5% 60505-1005	
	ATROPINE SUL SOL 1% OP 60505-6226	30 days from opening
	BRIMONIDINE SOL 0.1% 60505-0577	
	BRIMONIDINE SOL 0.15% 60505-0564	
	ATROPINE SUL SOL 1% OP 60505-6226	60 days from opening

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Apotex	BRIMO/TIMOLO SOL 0.2/0.5% 60505-0589	60 days from opening
	BRIMO/TIMOLO SOL 0.2/0.5% 60505-6225	
	CYCLOSPORINE EMU 0.05% OP 60505-6202	To be used immediately after opening. Remaining contents should be discarded immediately after administration
	TRAVOPROST DRO 0.004% 60505-0593	Can be used until expiration date listed on the package
Armas Pharmaceuticals	TIMOLOL MAL SOL 0.5% OP 72485-0602	Keep in foil overwrap and discard 30 days from opening
Aurobindo	DORZOL/TIMOL SOL 2-0.5% OP 65862-0946	Can be used until expiration date listed on the package
	DORZOL/TIMOL SOL 2-0.5% 65862-0947	
Bausch & Lomb	LOTEMAX OIN 0.5% 24208-0443	Can be used until expiration date listed on the package
	LOTEMAX SM GEL 0.38% 24208-0507	
	ZYLET SUS 0.5-0.3% 24208-0358	
	ALAWAY DRO 0.035% OP 24208-0601	Can be used until package expiration date unless stored outside of listed temperature windows
	BEPREVE DRO 1.5% 24208-0629	
	BESIVANCE SUS 0.6% 24208-0446	
	BIOTRUE HYDRATION BOOST 45658-5465	
	EYE EASH SOL 10119-0002	
	MOISTURE EYE DRO 10119-0020	
	SOOTHE DRO 0.6-0.6% 10119-0022	
	SOOTHE DRO HYDRATION 10119-0022	
	SOOTHE XP DRO 1-4.5% 10119-0493	
	SOOTHE XP SOL 10119-0022	
	LOTEMAX GEL 0.5% 24208-0503	28 days from opening
	BLINK TEARS 32994-3002	30 days from opening
	ALREX SUS 0.2% 24208-0353	
	LOTEMAX SUS 0.5% 24202-0299	
	TIMOPTIC OCU SOL 0.5% OP 24208-0499	
	ZIRGAN GEL 0.15% 24208-0535	14 days from opening

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Bausch & Lomb	PROLENSA SOL 0.07% 24208-0602	16 days from opening
	SOOTHE XP DRO 10119-0022	31 days from opening
	OPCON-A SOL OP 10119-0020	61 days from opening
	VYZULTA SOL 0.024% 24208-0504	
Bausch & Lomb Americas	ATROPINE SUL SOL 1% 82260-0001	Store single-dose vials in the foil pouches. Opened vials should be discarded immediately after use
Bausch Health US	ATROPINE SUL OIN 1% OP 24208-0825	Can be used until package expiration date unless stored outside of listed temperature windows
	BEPOTASTINE DRO 1.5% 24208-0630	
	CYCLOPENTOL SOL 1% OP 24208-0735	
	DICLOFENAC SOL 0.1% OP 24208-0457	
	GENTAMICIN SOL 0.3% OP 24208-0580	
	LOTEPREDNOL GEL 0.5% 24208-0508	
	NEO/POLY/DEX OIN 0.1% OP 24208-0795	
	NEO/POLY/DEX SUS 0.1% OP 24208-0830	
	OFLOXACIN DRO 0.3% OP 24208-0434	
	POLYMYXIN B/TRIMETHP SOL 24208-0315	
	PROPARACAINE SOL 0.5% OP 24208-0730	
	SULF/PRED NA SOL OP 24208-0317	
	SULFACET SOD SOL 10% OP 24208-0670	
	TOBRA/DEXAME SUS 0.3-0.1% 24208-0295	
	BACIT/POLYMY OIN OP 24208-0555	Can be used until expiration date listed on the package
	DORZOL/TIMOL SOL 2-0.5% OP 24208-0486	
	DORZOLAMIDE SOL 2% OP 24208-0485	
	ERYTHROMYCIN OIN 5MG/GM 24208-0910	
	MURO 128 OIN 5% OP 24208-0385	
	NEO/BAC/POLY OIN OP 24208-0780	
NEO/POLY/BAC/HC OIN 1% OP 24208-0785		
PHENYLEPHRIN SOL 2.5% OP 42702-0102		
SOOTHE NIGHT OIN OP 10119-0022		

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Bausch Health US	BRIMONIDINE SOL 0.2% OP 24208-0411	30 days from opening
	DEXAMETH PHO SOL 0.1% OP 24208-0720	
	LEVOBUNOLOL SOL 0.5% OP 24208-0505	
	MURO 128 SOL 5% OP 24208-0277	
	NEO/POLY/GRA SOL OP 24208-0790	
	PHENYLEPHRIN SOL 2.5% OP 42702-0102	
	PRED SOD PHO SOL 1% OP 24208-0715	
	TIMOLOL GEL SOL 0.25% OP 24208-0818	
	TIMOLOL GEL SOL 0.5% OP 24208-0819	
	TOBRA/DEXAME SUS 0.3-0.1% 24208-0295	
	BLINK TEARS DRO 0.25% OP 29943-0002	
	LATANOPROST SOL 0.005% 24208-0463	42 days from opening
	LUMIFY DRO 0.025% 24208-0537	120 days from opening
	MURO 128 SOL 2% OP 24208-0276	29 days from opening
BLINK TEARS DRO 0.25% OP 29943-0004	31 days from opening	
Bayshore Pharmaceuticals	KETOTIF FUM DRO 0.035% 76385-0106	28 days from opening
Biocon Pharma	DORZOLAMIDE SOL 2% OP 70377-0081	Can be used until expiration date listed on the package
Chain Drug Marketing Assoc	ARTIFICIAL TEARS SOL 63868-0223	Can be used until expiration date listed on the package
Emerson Healthcare	SIMILAS COMPLETE EYE 59262-0358	90 days from opening
Eyevance Pharmaceuticals	FRESHKOTE PF SOL 2.7-2% 71776-0001	Use before expiration and discard bottle 30 days after opening
Florida Pharmaceutical Product	DORZOL/TIMOL SOL 2-0.5% OP 71921-0226	Can be used until expiration date listed on the package
	BRIMONIDINE SOL 0.2% OP 71921-0185	28 days from opening
Fosun Pharma USA	BIMATOPROST SOL 0.03% 72266-0140	Can be used until expiration date listed on the package
	TOBRAMYCIN SOL 0.3% OP 72266-0196	

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Geri-care	ARTIFICIAL TEARS DRO 57896-0181	Can be used until expiration date listed on the package
Greenstone	FLUOROMETHOL SUS 0.1% OP 60758-0880	28 days from opening
	GENTAMICIN SOL 0.3% OP 60758-0188	
	KETOROLAC SOL 0.4% 60758-0773	
	PREDNISOLONE SUS 1% OP 60758-0119	
	TIMOLOL MAL SOL 0.25% OP 60758-0802	
	TIMOLOL MAL SOL 0.5% OP 60758-0801	
	LATANOPROST SOL 0.005% 59762-0333	42 days from opening
Harrow Eye	FLAREX SUS 0.1% OP 71776-0100	Can be used until expiration date listed on the package
	ILEVRO DRO 0.3% OP 00078-0743	
	NATACYN SUS 5% OP 71776-0005	
	NEVANAC SUS 0.1% OP 00078-0778	
	TOBRADEX ST SUS 0.3-0.05 71776-0035	
	ZERVIAE DRO 0.24% 71776-0024	To be used immediately after opening. Remaining contents should be discarded immediately after administration
Hub Pharmaceuticals	BIO GLO TES 1MG OP 17238-0900	Single use only. Discard remainder once opened
Ingenus Pharmaceuticals	TIMOLOL MAL SOL 0.25% OP 50742-0287	Keep in foil overwrap and discard 30 days from opening
	TIMOLOL MAL SOL 0.5% OP 50742-0288	
Johnson & Johnson	VISINE RED EYE COMFORT 69968-0355	Can be used until expiration date listed on the package
	VISINE-A 12540-7493	
Kenvue	VISINE SOL 12547-0493	Can be used until expiration date listed on the package
	VISINE DRY EYE RLF SOL 12547-0493	
	VISINE DRY EYE RLF SOL 74300-0010	
	VISINE RED SOL 0.05% 12547-0493	
	VISINE RED EYE HYDR SOL 12547-0493	
	VISINE TOTAL COMFORT SOL 12547-0493	
	VISINE-AC SOL OP 74300-0004	



Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
KVK Tech	CYCLOSPORINE EMU 0.05% OP 10702-0808	Dispose of immediately after administration
Leading Pharma	CIPROFLOXACIN SOL 0.3% OP 69315-0308	28 days from opening
	DORZOL/TIMOL SOL 2-0.5% 69315-0305	Can be used until expiration date listed on the package
	DORZOLAMIDE SOL 2% OP 69315-0304	Can be used until expiration date listed on the package
Lupin Pharmaceuticals	MOXIFLOXACIN SOL 0.5% 68180-0421	28 days from opening
	CYCLOSPORINE EMU 0.05% OP 68180-0214	To be used immediately after opening. Remaining contents should be discarded immediately after administration
Major Pharmaceuticals	LUBRICANT EYE DRO 0.5% OP (bottle) 00904-6329	Can be used until expiration date listed on the package
	LUBRIFRESH OIN P.M. 00904-6488	
	LUBRICANT EYE DRO 0.5% OP (unit-dose) 00904-6329	Do not re-use single use containers. Once opened, if product is being stored according to the label instructions on original packaging, it is good until expiration date on package.
McKesson Sunmark	LUBRICATING DRO 0.5% 49348-0329	Single use only. Discard remainder once opened
Medtech	ARTIFICIAL SOL 0.5-0.6% 78112-0375	Can be used until expiration date listed on the package
	CLEAR EYES DRO 0.5-0.6% 78112-0736	
	CLEAR EYES RED/RELF DRO 78112-0254	
	CLEAR EYES TRPL RLF DRO 78112-0254	
	CLEAR EYES SOL 0.03-0.5 78112-0665	
	CLEAR EYES COMPLETE SOL 78112-0659	
	CLEAR EYES ITCHY SOL 78112-0659	

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Micro Laboratories	DORZOL/TIMOL SOL 2-0.5% OP 42571-0147	Can be used until expiration date listed on the package
	TRAVOPROST DRO 0.004% 42571-0130	
	DORZOL/TIMOL SOL 2-0.5% 42571-0382	Discard any unused containers 15 days after opening pouch
	DORZOLAMIDE SOL 2% OP 42571-0141	28 days from opening
	KETOROLAC SOL 0.5% 42571-0137	
		TAFLUPROST SOL 0.0015% 42571-0264
Mylan	CYCLOSPORINE EMU 0.05% OP 00378-8760	Dispose of immediately after administration
	TRAVOPROST DRO 0.004% 00378-9651	28 days from opening
Northstar Rx	TIMOLOL GEL SOL 0.25% OP 72603-0162	28 days from opening
Novartis	BETOPTIC-S SUS 0.25% OP 00078-0729	Can be used until expiration date listed on the package
	TOBRADEX OIN 0.3-0.1% 00078-0876	
	TOBRADEX SUS 0.3-0.1% 00065-0647	
	TOBREX OIN 0.3% OP 00065-0644	
	TOBREX OIN 0.3% OP 00078-0813	28 days from opening
	BETOPTIC-S SUS 0.25% OP 00065-0246	
	XIIDRA DRO 5% 00078-0911	
XIIDRA DRO 5% 54092-0606		
Oasis Medical	OASIS TEARS DRO 0.22% 42126-0610	Single use only
Oceanside Pharmaceuticals	BRINZOLAMIDE SUS 1% 68682-0464	Can be used until expiration date listed on the package
	LOTEPREDNOL SUS 0.5% 68682-0299	Can be used until expiration date listed on the package unless stored outside of listed temperature windows
	TIMOLOL MAL SOL 0.5% OP 68682-0813	30 days from opening
	TIMOLOL MALE SOL 0.5% 68682-0045	

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Ocusoft	OCUSOFT LID PLUS PADS 54799-0304	Can be used until expiration date listed on the package
	OCUSOFT LID SCRUB PAD 54799-0301	
	OCUSOFT LID SCRUB FOAM 54799-0301	
	RETAINÉ PM OIN 15718-0893	
	RETAINÉ MGD EMU 0.5-0.5% 15778-0917	Single use only
Padagis	BACITRACIN OIN OP 00574-4022	Can be used until expiration date listed on the package
	ERYTHROMYCIN OIN 5MG/GM 00574-4024	
	TOBRA/DEXAME SUS 0.3-0.1% 00574-4031	
	NEO-POLYCIN OIN HC 1% OP 00574-4144	28 days from opening
Pfizer US	XALATAN SOL 0.005% 00023-0312	42 days from opening
Prasco Laboratories	TAFLUPROST SOL 0.0015% 66993-0429	Single-dose containers may be stored in the opened foil pouch for up to 30 days at room temperature
Prestige Brands	THERATEARS GEL 1% OPTH 58790-0003	Single use only
	THERATEARS SOL 0.25% PF 58790-0000	
	THERATEARS SOL OP (unit-dose) 58790-0001	
	THERATEARS SOL OP (bottle) 58790-0001	45 days after opening
	TC ARTIFIC TEAR 0.5-0.6% 36800-0093	
Reliable 1 Labs	LUBRICANT EYE OIN PM 69618-0060	Can be used until expiration date listed on the package
Rising Pharmaceuticals	LATANOPROST SOL 0.005% 64980-0516	42 days from opening
	NEO/BAC/POLY OIN OP 16571-0754	28 days from opening
	OFLOXACIN DRO 0.3% OP 64980-0515	
	TIMOLOL MAL SOL 0.25% OP 64980-0513	Can be used until expiration date listed on the package
	TIMOLOL MAL SOL 0.5% OP 64980-0514	
Rugby Laboratories	CARBOXYMETHY SOL 0.5% 00536-1386	Can be used until expiration date listed on the package
	EYE DROPS SOL 0.05% OP 00536-1217	
	EYE ITCH REL DRO 0.035% OP 00536-1252	
	EYE WASH SOL 00536-1224	
	LUBRICAT EYE DRO 0.4-0.3% 00536-1219	

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Rugby Laboratories	LUBRICATING TEARS SOL 00536-1282	Can be used until expiration date listed on the package
	LUBRICANT EYE DRO 0.5% OP 00536-1387	
	OLOPATADINE DRO 0.1% 00536-1308	
	OLOPATADINE SOL 0.2% 00536-1307	
	POLYVINYL AL SOL 1.4% OP 00536-1325	
	SOD CHLORIDE OIN 5% OP 00536-1253	
	SOD CHLORIDE SOL 5% OP 00536-1254	
Sandoz	AZOPT SUS 1% OP 00078-0722	Can be used until expiration date listed on the package
	BETAXOLOL SOL 0.5% OP 61314-0245	
	BRIMONIDINE SOL 0.15% 61314-0144	
	BRIMONIDINE SOL 0.2% 61314-0143	
	BRINZOLAMIDE SUS 1% 00781-6014	
	CARTEOLOL SOL 1% OP 61314-0238	
	CYCLOPENTOL SOL 1% OP 61314-0396	
	DORZOL/TIMOL SOL 2-0.5% OP 61314-0030	
	DORZOLAMIDE SOL 2% OP 61314-0019	
	KETOROLAC SOL 0.5% 61314-0126	
	MOXIFLOXACIN SOL HCL 0.5% 00781-7135	
	NEO/POLY/DEX OIN 0.1% OP 61314-0631	
	NEO/POLY/DEX SUS 0.1% OP 61314-0630	
	POLYMYXIN B/TRIMETHP SOL 61314-0628	
	PREDNISOLONE SUS 1% OP 61314-0637	
	PROPARACAINE SOL 0.5% OP 61314-0016	
	TIMOLOL MAL SOL 0.25% OP 61314-0226	
	TIMOLOL MAL SOL 0.5% OP 61314-0227	
TOBRA/DEXAME SUS 0.3-0.1% 61314-0647		
TOBRAMYCIN SOL 0.3% OP 61314-0643		
TRAVATAN Z DRO 0.004% 00078-0946		
TRAVOPROST DRO 0.004% 00781-6185		

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Sandoz	AZELASTINE DRO 0.05%	61314-0308
	BRIMO/TIMOLO SOL 0.2/0.5%	00781-7186
	CILOXAN OIN 0.3% OP	00078-0841
	CIPROFLOXACIN SOL 0.3% OP	61314-0656
	CROMOLYN SOD SOL 4% OP	61314-0237
	DICLOFENAC SOL 0.1% OP	61314-0014
	DIFLUPREDNAT EMU 0.05%	00781-6000
	DUREZOL EMU 0.05%	00065-9240
	GATIFLOXACIN SOL 0.5%	61314-0672
	GENTAMICIN SOL 0.3% OP	61314-0633
	NEO/POLY/HC SUS OP	61314-0641
	PILOCARPINE SOL 2% OP	61314-0204
	TRIFLURIDINE SOL 1% OP	61314-0044
	TROPICAMIDE SOL 1% OP	61314-0355
LATANOPROST SOL 0.005%	61314-0547	
Similasan	ALLERGY EYE RELIEF DRO	59262-0346
	IVIZIA DRY SOL 0.5%	94841-0850
Somerset Therapeutics	BIMATOPROST SOL 0.03%	70069-0401
	DORZOL/TIMOL SOL 2-0.5% OP	70069-0051
	TOBRAMYCIN SOL 0.3% OP	70069-0131
	LATANOPROST SOL 0.005%	70069-0421
Sun Pharmaceuticals	BROMSITE DRO 0.075%	49708-0754
	CEQUA SOL 0.09%	47335-0506

Manufacturer	Drug Name and Formulation (NDC)	Expiration Date
Thea Pharma	BETIMOL SOL 0.25%	76478-0001
	BETIMOL SOL 0.25%	82584-0001
	BETIMOL SOL 0.5%	76478-0002
	BETIMOL SOL 0.5%	82584-0002
	AZASITE SOL 1%	17478-0307
	AZASITE SOL 1%	82584-0307
	COSOPT PF SOL 2-0.5%	17478-0604
	COSOPT PF SOL 2-0.5%	82584-0604
	ZIOPTAN DRO 0.0015%	17478-0609
	ZIOPTAN DRO 0.0015%	82584-0609
Upsher-smith	MOXIFLOXACIN SOL HCL 0.5%	00832-1410
Zydus Pharmaceuticals	BRIMO/TIMOLO SOL 0.2/0.5%	82182-0455
	BRIMONIDINE SOL 0.15%	82182-0773